



**INSPECTOR FOR CHEMICAL
SUBSTANCES**

BSCH-DPL.410-5/AWS/18-9

GOOD LABORATORY PRACTICE CERTIFICATE

Registration number: 13/2018/DPL

Pursuant to article 16 (4) of the Act of 25 February 2011 on the Chemical Substances and Their Mixtures (Journal of Laws 2018, item 143 and its subsequent amendments), on the basis of the periodic inspection and verification which were held on June 12-14, 2018 and in accordance with the provisions specified in the Regulation of the Minister of Health of 22 May 2013 on Good Laboratory Practice and Performance of Studies in Compliance with the Principles of Good Laboratory Practice (Journal of Laws 2013, item 665), as well as in accordance with Directive 2004/9/EC and the relevant OECD documents, it is hereby confirmed that

**Dermscan Poland Sp. z o.o.
Research Laboratory
3 Trzy Lipy St
80-172 Gdansk
Poland**


complies with the OECD and the EU principles of Good Laboratory Practice in the field of:

- **toxicity studies (*in vitro* studies).**

The certificate is valid from October 12, 2018.

GLP Inspectors


Aneta Wiktorek-Smagur (PhD)
(Lead GLP inspector)


Marek Ubraniak (M.Sc.)
(GLP inspector)



**Inspector for Chemical
Substances**



Agnieszka Dudra (PhD, Eng.)